



























Tv white space between 54 mhz and 862 mhz physical layer," *IEEE Std 802.15.4m-2014 (Amendment to IEEE Std 802.15.4-2011 as amended by IEEE Std 802.15.4e-2012, IEEE Std 802.15.4f-2012, IEEE Std 802.15.4g-2012, IEEE Std 802.15.4j-2013, and IEEE Std 802.15.4k-2013)*, pp. 1–118, April 2014.

- [22] T. Shimomura, T. Oyama, and H. Seki, "Analysis of tv white space availability in japan," in *2012 IEEE Vehicular Technology Conference (VTC Fall)*, Sep. 2012, pp. 1–5.
- [23] C. Sum, M. Zhou, L. Lu, F. Kojima, and H. Harada, "Performance and coexistence analysis of multiple ieee 802 wpan/wlan/wran systems operating in tv white space," in *2014 IEEE International Symposium on Dynamic Spectrum Access Networks (DYSPAN)*, April 2014, pp. 145–148.
- [24] "Ieee standard for local and metropolitan area networks - part 15.4: Low-rate wireless personal area networks (lr-wpans) - amendment 7: Physical layer for rail communications and control (rcc)," *IEEE Std 802.15.4p-2014 (Amendment to IEEE Std 802.15.4-2011 as amended by IEEE Std 802.15.4e-2012, IEEE Std 802.15.4f-2012, IEEE Std 802.15.4g-2012, IEEE Std 802.15.4j-2013, IEEE Std 802.15.4k-2013, and IEEE Std 802.15.4m-2014)*, pp. 1–45, May 2014.
- [25] "IEEE standard for low-rate wireless networks," *IEEE Std 802.15.4-2015 (Revision of IEEE Std 802.15.4-2011)*, pp. 1–709, April 2016.
- [26] "IEEE standard for low-rate wireless networks – amendment 1: Physical layer utilizing china medical bands," *IEEE Std 802.15.4n-2016 (Amendment to IEEE Std 802.15.4-2015)*, pp. 1–27, April 2016.
- [27] "IEEE standard for low-rate wireless networks – amendment 2: Ultra-low power physical layer," *IEEE Std 802.15.4q-2016 (Amendment to IEEE Std 802.15.4-2015 as amended by IEEE Std 802.15.4n-2016)*, pp. 1–52, April 2016.
- [28] "IEEE standard for low-rate wireless networks – amendment 3: Use of the 865 mhz to 867 mhz band in india," *IEEE Std 802.15.4u-2016 (Amendment to IEEE Std 802.15.4-2015 as amended by IEEE Std 802.15.4n-2016 and IEEE Std 802.15.4q-2016)*, pp. 1–18, Feb 2017.
- [29] "IEEE standard for low-rate wireless networks – amendment 4: Higher rate (2 mb/s) physical (phy) layer," *IEEE Std 802.15.4t-2017 (Amendment to IEEE Std 802.15.4-2015 as amended by IEEE Std 802.15.4n-2016, IEEE Std 802.15.4q-2016, and IEEE Std 802.15.4u-2016)*, pp. 1–25, April 2017.
- [30] "IEEE standard for low-rate wireless networks - amendment 5: Enabling/updating the use of regional sub-ghz bands," *IEEE Std 802.15.4v-2017 (Amendment to IEEE Std 802.15.4-2015, as amended by IEEE Std 802.15.4n-2016, IEEE Std 802.15.4q-2016, IEEE Std 802.15.4u-2016, and IEEE Std 802.15.4t-2017)*, pp. 1–35, June 2017.
- [31] "Ieee standard for low-rate wireless networks amendment 6: Enabling spectrum resource measurement capability," *IEEE Std 802.15.4s-2018 (Amendment to IEEE Std 802.15.4-2015 as amended by IEEE Std 802.15.4n-2016, IEEE Std 802.15.4q-2016, IEEE Std 802.15.4u-2016, IEEE Std 802.15.4t-2017, IEEE Std 802.15.4v-2017, and IEEE Std 802.15.4-2015/Cor 1-2018)*, pp. 1–51, June 2018.
- [32] "Ieee standard for low-rate wireless networks - amendment 7: Defining enhancements to the smart utility network (sun) physical layers (phys) supporting up to 2.4 mb/s data rates," *IEEE Std 802.15.4x-2019 (Amendment to IEEE 802.15.4-2015 as amended by IEEE 802.15.4n-2016, IEEE 802.15.4q-2016, IEEE 802.15.4u-2016, IEEE 802.15.4t-2017, IEEE 802.15.4v-2017, IEEE 802.15.4s-2018, and IEEE 802.15.4-2015/Cor. 1-2018)*, pp. 1–30, April 2019.
- [33] J. Zheng and M. J. Lee, "A comprehensive performance study of ieee 802.15. 4," *Sensor network operations*, vol. 4, pp. 218–237, 2006.
- [34] A. Boulis, "Castalia users manual v3.2," NICTA, 2011.
- [35] Nsam, "Ns-3 discrete event simulator," <http://www.nsnam.org>, accessed Jan. 07. 2017.
- [36] P. Jurčík and A. Koubáa, "The ieee 802.15.4 opnet simulation model:reference guide v2.0," *IPP-HURRAY Technical Report, HURRAY-TR-070509*, 2007.
- [37] A. Cunha, A. Koubaa, R. Severino, and M. Alves, "Open-zb: an open-source implementation of the ieee 802.15.4/zigbee protocol stack on tinyos," in *2007 IEEE International Conference on Mobile Adhoc and Sensor Systems*, Oct 2007, pp. 1–12.
- [38] J. Flora and P. Bonnet, "Never mind the standard here is the tinyos 802.15. 4 stack," *University of Copenhagen, Technical Report*, vol. 6, no. 10, 2006.
- [39] J.-H. Hauer, "Tkn15. 4: An ieee 802.15. 4 mac implementation for tinyos," 2009.
- [40] Zigbee Alliance, "Zigbee 3.0," <https://www.zigbee.org/>, accessed May. 15. 2019.



**Alberto Gallegos** Received his B.E. degree in computer science from Guadalajara University, Jalisco, Mexico in 2005. He later received his M.S. and PH.D. degrees in Engineering from Ritsumeikan University, Shiga, Japan in 2014 and 2018 respectively. He joined the College of Information Science and Engineering at Ritsumeikan University in 2018, where he is currently Assistant Professor. His current research interests include but are not limited to Wireless Sensor Networks and routing protocols.



**Taku Noguchi** Received his B.E., M.E. and Ph.D. degrees in communications engineering from Osaka University, Osaka, Japan in 2000, 2002 and 2004, respectively. He joined College of Information Science and Engineering at Ritsumeikan University in 2004, where he is currently a Professor. His research interests include performance analysis and the design of computer networks and wireless networks. He is a member of IEEE, IEICE and IPSJ.