## Assessment of Quasi-Permanently Vacant Channels in Mobile Communication Bands for Cognitive Radio

Neeta Nathani<sup>1</sup> G.C. Manna<sup>2</sup> S.B.Mule<sup>3</sup>

<sup>1</sup>Research Scholar, Department of Electronics Engineering, G.H. Raisoni College of Engineering, Nagpur, India.

<sup>2</sup>Senior General Manager, Indian Telecommunication Service, BSNL, Jabalpur, India.

<sup>3</sup>Research Scholar, Department of Electronics Engineering, G.H. Raisoni College of Engineering, Nagpur, India.

neeta nathani@yahoo.com, gcmanna@gmail.com, mulesbl@gmail.com

Keywords: Cognitive Radio, Common control signalling, In-band signalling, Mobile communication, Radio link control.

Abstract: Basis of cognitive radio is to exploit unused frequency channels in licensed band. Recently standardised IEEE 802.22 set of cognitive radio protocols envisages fixed and nomadic receivers at below 800 MHz bands. Radio link design for this cognitive radio consider that the channels are available only dynamically to secondary users. Scanning period is thus embedded in link layer control as overhead and reduces overall efficiency of cognitive radio technology. For mobile receivers, availability of permanent channels for radio link control is essential for in-band signalling. Existing mobile communication system uses CDMA 800, GSM 900, GSM 1800 and WCDMA 2000 MHz bands for which approximately 1/8th of the band capacity is used for in-band signalling. Present work provides an assessment of vacant channels in mobile communications range which were permanently available at the time of measurement. The study used conventional Radio frequency scanners available for different bands and dedicated engineering handsets for tracking active frequencies. Observations were taken at six different cities of India with population ranging from 1.5 million to 6.6 million. The tests were performed with assemblies carried in a vehicle and across the length and breadth of each city. The allotment of frequencies by Frequency Regulatory Authority to local mobile operators along with the frequency bands reserved for further distribution were also considered. The experimentally collected data were analysed using RF analysis software and spread sheet database. An analysis of the collected data lead to arrive at the conclusion that more than 1/8<sup>th</sup> part of resources of each band are nearly permanently vacant which is enough to design in-band common control signalling methods for cognitive radio.



Neeta Nathani was born in India in 1981. She received the B.E. and M.Tech. degrees from Rajiv Gandhi Proudyogiki Vishwavidyalaya, India, in 2003, and 2009, respectively. She joined Sri Ram Institute of Technology, Jabalpur, India, in 2003 and worked there for few years. Since 2008, she has been with Gyan Ganga Institute of Technology & Sciences, Jabalpur, India where she is currently an Assistant Professor. Her main areas of research interest are Wireless Communication, Quality of service of Cognitive Radio.



He is working as Senior General Manager (Head Quarters), Inspection Circle, BSNL, a wholly owned Company under Department of Telecommunications (DoT), Govt. of India. He has developed and conducted one week course on Quality of Service Monitoring at Information and Communication Technologies Authority, Mauritius as International Expert through Commonwealth Telecom Organisation London during August 2010. He had also delivered a speech on WiMAX coverage Evaluation at International Conference on Advanced Communications Technology 2011 at Seoul, Korea and chaired a session on Network Management. He had also delivered speech on ADSL at International Telecommunication Union seminar in 2000 at Bangalore, India. He has carried out extensive research on coverage issues of GSM,CDMA, WCDMA and WiMAX radio access. Study of Wireless Traffic and QoS estimation of Cognitive Radio are his current areas of research. In addition, he has written several articles on advanced telecommunications which has been published in national and international journals and symposiums.